

A background image showing a blurred road stretching into the distance towards a bright sun on the horizon, with green fields on either side. The sun is low in the sky, creating a lens flare effect.

New York City Quick Ship Products

Table of Contents

Category	Description	Page
Fluorescent Lensed Troffers	SP8	2-3
Fluorescent Lensed Troffers	GT8	4
Fluorescent Parabolic	2PM3N	5
Fluorescent Direct/Indirect	Avante	6-7
Volumetric Recessed Lighting	RT5	8
Square-Basket Wraparounds	SB	9
Strips	Z	10
General-Purpose Industrials	EJS	11
Industrial Fluorescent High Bay	IBEAM	12
Wet Location	DMW	13

New York Service Center

3 Kilmer Road

Edison, NJ 08817

New York City Quick Ship Products

*The following products are manufactured with a standard 5 day shipment lead time from order entry.

Bolded options are available in 2 days. These products are in addition to your local stock.

Fluorescent Lensed Troffers

SP8 2'x4'

ORDERING INFORMATION				Example: 2SP8 G 3 32 A12 MVOLT 1/3 GEB10IS LP735 NY3			
Series	Trim	Number of lamps	Lamp type	Door	Diffuser	Voltage	
2SP8 2' wide	G Grid	2	32 32W T8 (48")	(blank) Flush steel, white	A12 #12 pattern acrylic, reverse apex technology	MVOLT 120-277	
		3					
		4					
Ballast configuration		Ballast	Lamp color		Options		
(blank)	2-lamp ballasts per Lithonia Lighting standards	GEB10IS T8 electronic ballast, <10% THD, instant start	LP735 70+ CRI, 3500k	LP741 70+ CRI, 4100k	EL Emergency battery pack (nominal 300 lumens)	EL14 Emergency battery pack (nominal 1400 lumens)	
1/3	One 3-lamp ballast	GEB10RS T8 electronic ballast, ≤10% THD, rapid start	LP835 80+ CRI, 3500k	LP841 80+ CRI, 4100k	PWS90N1836 6' prewire, 3/8" dia., 18-gauge, 3-wire	JP16 Palletized and stretch-wrapped without individual cartons	
1/4	One 4-lamp ballast				NY3 I.B.E.W. Local 3 union made ¹		

Notes

¹ Required on all New York City Quick Ship Products.

SP8 2'x2'

ORDERING INFORMATION				Example: 2SP8 G 2 U316 A12125 MVOLT GEB10IS LP735 NY3			
Series	Trim	Number of lamps	Lamp type	Door	Diffuser	Voltage	
2SP8 2' wide	G Grid	2	17 17W T8 (24")	(blank) Flush steel, white	A12 #12 pattern acrylic, reverse apex technology	MVOLT 120-277	
		3	U31 31W T8 (24")				
		4	U316 31W T8 U (6" leg. 24")				
Ballast configuration		Ballast	Lamp color		Options		
(blank)	2-lamp ballast per Lithonia standards	GEB10IS T8 electronic ballast, <10% THD, instant start	LP735 70+ CRI, 3500k	LP741 70+ CRI, 4100k	EL Emergency battery pack (nominal 300 lumens)	PWS90N1836 6' prewire, 3/8" dia., 18-gauge, 3-wire	
1/3	One 3-lamp ballast	GEB10RS T8 electronic ballast, ≤10% THD, rapid start	LP835 80+ CRI, 3500k	LP841 80+ CRI, 4100k	JP32 Palletized and stretch-wrapped without individual cartons	NY3 I.B.E.W. Local 3 union made ¹	
1/4	One 4-lamp ballast						

Notes

¹ Required on all New York City Quick Ship Products.

New York City Quick Ship Products

*The following products are manufactured with a standard 5 day shipment lead time from order entry.
Bolded options are available in 2 days. These products are in addition to your local stock.

Fluorescent Lensed Troffers

SP8 1'x4'

ORDERING INFORMATION

Example: SP8 G 2 32 A12 MVOLT GEB10IS LP735 NY3

Series	Trim	Number of lamps	Lamp type	Door	Diffuser	Voltage
SP8 1' wide	G Grid	2	32 32W T8 (48")	(blank) Flush steel, white	A12 #12 pattern acrylic, reverse apex technology	MVOLT 120-277

Ballast configuration	Ballast	Lamp color	Options
(blank) 2-lamp ballasts per Lithonia Lighting standards	GEB10IS T8 electronic ballast, <10% THD, instant start	LP735 70+ CRI, 3500k	EL Emergency battery pack (nominal 300 lumens)
	GEB10RS T8 electronic ballast, ≤10% THD, rapid start	LP741 70+ CRI, 4100k	EL14 Emergency battery pack (nominal 1400 lumens)
		LP835 80+ CRI, 3500k	PWS90N1836 6' prewire, 3/8" dia., 18-gauge, 3-wire
		LP841 80+ CRI, 4100k	NY3 I.B.E.W. Local 3 union made ¹

Notes

¹ Required on all New York City Quick Ship Products.

New York City Quick Ship Products

*The following products are manufactured with a standard 5 day shipment lead time from order entry.

Bolded options are available in 2 days. These products are in addition to your local stock.

Fluorescent Lensed Troffers

GT8 2'x4'

ORDERING INFORMATION		Example: 2GT8 4 32 A12 MVOLT 1/3 GEB10IS LP735 NY3					
Series	Trim	Number of lamps	Lamp type	Door	Diffuser	Voltage	
2GT8 2' wide	(blank) Grid	2 3 4	32 32W T8 (48")	(blank) Flush steel, white	A12 #12 pattern acrylic	MVOLT 120-277	
Ballast configuration		Ballast	Lamp color	Options			
(blank)	1- and/or 2-lamp ballasts per Lithonia Lighting standards	GEB10IS T8 electronic ballast, ≤10% THD, instant start	LP735 70+ CRI, 3500k LP741 70+ CRI, 4100k	EL	Emergency battery pack (nominal 300 lumens)		
1/3	One 3-lamp ballast	GEB10RS T8 electronic ballast, ≤10% THD, rapid start	LP835 80+ CRI, 3500k	EL14	Emergency battery pack (nominal 1400 lumens)		
1/4	One 4-lamp ballast		LP841 80+ CRI, 4100k	PWS90N1836	6' prewire, 3/8" dia., 18-gauge, 3-wire		
				NY3	I.B.E.W. Local 3 union made ¹		

Notes

1 Required on all New York City Quick Ship Products.

GT8 2'x2'

ORDERING INFORMATION		Example: 2GT8 2 17 A12125 MVOLT GEB10IS LP735 NY3					
Series	Trim	Number of lamps	Lamp type	Door	Diffuser	Voltage	
2GT8 2' wide	(blank) Grid	2 3 4 ¹	17 17W T8 (24") U31 31W T8 (24") U316 31W T8 U (6" leg, 24") ²	(blank) Flush steel, white	A12 #12 pattern acrylic	MVOLT 120-277	
Ballast configuration		Ballast	Lamp color	Options			
(blank)	2-lamp ballasts per Lithonia Lighting standards	GEB10IS T8 electronic ballast, ≤10% THD, instant start	LP735 70+ CRI, 3500k LP741 70+ CRI, 4100k	EL	Emergency battery pack (nominal 300 lumens)		
1/3	One 3-lamp ballast	GEB10RS T8 electronic ballast, ≤10% THD, rapid start	LP835 80+ CRI, 3500k	PWS90N1836	6' prewire, 3/8" dia., 18-gauge, 3-wire		
1/4	One 4-lamp ballast		LP841 80+ CRI, 4100k	NY3	I.B.E.W. Local 3 union made ³		

Notes

1 17 watt only.

2 2 lamp only.

3 Required on all New York City Quick Ship Products.

New York City Quick Ship Products

*The following products are manufactured with a standard 5 day shipment lead time from order entry.
Bolded options are available in 2 days. These products are in addition to your local stock.

Fluorescent Parabolic Lighting

2PM3N 2'x4'

ORDERING INFORMATION		Example: 2PM3N G B 3 32 18LD MVOLT 1/3 GEB10IS NY3										
Series	Trim	Air function		Number of lamps	Lamp type		Number of cells/Louvers			Voltage		
2PM3N	Paramax 3" louver family	G	Lay-in grid	B	No air function	2 3	32	32W T8 (48")	12 18	LD	Low-iridescent anodized diffuse silver	MVOLT
Ballast configuration		Ballast				Lamp color		Options				
(blank)	2-lamp ballasts per Lithonia Lighting standards	GEB10IS	T8 electronic ballast, ≤10% THD, instant start		LP735	70+ CRI, 3500k		EL	Emergency battery pack (nominal 300 lumens)			
1/3	One 3-lamp ballast	GEB10RS	T8 electronic ballast, ≤10% THD, rapid start		LP741	70+ CRI, 4100k		EL14	Emergency battery pack (nominal 1400 lumens)			
					LP835	80+ CRI, 3500k		PWS90N1836	6' prewire, 3/8" dia., 18-gauge, 3-wire			
					LP841	80+ CRI, 4100k		NY3	I.B.E.W. Local 3 union made ¹			
Notes												
1 Required on all New York City Quick Ship Products.												

2PM3N 2'x2'

ORDERING INFORMATION		Example: 2PM3N G B 2 17 6LD MVOLT GEB10IS NY3										
Series	Trim	Air function		Number of lamps	Lamp type		Number of cells/Louvers			Voltage		
2PM3N	Paramax 3" louver family	G	Lay-in grid	B	No air function	2 3	17	17W T8 (24")	6 9	LD	Low-iridescent anodized diffuse silver	MVOLT
Ballast configuration		Ballast				Lamp color		Options				
(blank)	2-lamp ballasts per Lithonia Lighting standards	GEB10IS	T8 electronic ballast, <10% THD, instant start		LP735	70+ CRI, 3500k		EL	Emergency battery pack (nominal 300 lumens)			
1/3	One 3-lamp ballast				LP741	70+ CRI, 4100k		PWS90N1836	6' prewire, 3/8" dia., 18-gauge, 3-wire			
					LP835	80+ CRI, 3500k		NY3	I.B.E.W. Local 3 union made ¹			
					LP841	80+ CRI, 4100k						
Notes												
1 Required on all New York City Quick Ship Products.												

2PM3N 2'x2'

ORDERING INFORMATION		Example: 2PM3N G B 2 U316 9LD MVOLT GEB10IS NY3										
Series	Trim	Air function		Number of lamps	Lamp type		Number of cells/Louvers			Voltage		
2PM3N	Paramax 3" louver family	G	Lay-in grid	B	No air function	2	U316	31W T8 U (6" leg)	9	LD	Low-iridescent anodized diffuse silver	MVOLT
Ballast configuration		Ballast				Lamp color		Options				
(blank)	2-lamp ballasts per Lithonia Lighting standards	GEB10IS	T8 electronic ballast, <10% THD, instant start		LP735	70+ CRI, 3500k		EL	Emergency battery pack (nominal 300 lumens)			
					LP741	70+ CRI, 4100k		PWS90N1836	6' prewire, 3/8" dia., 18-gauge, 3-wire			
					LP835	80+ CRI, 3500k		NY3	I.B.E.W. Local 3 union made ¹			
					LP841	80+ CRI, 4100k						
Notes												
1 Required on all New York City Quick Ship Products.												

New York City Quick Ship Products

*The following products are manufactured with a standard 5 day shipment lead time from order entry.
Bolded options are available in 2 days. These products are in addition to your local stock.

Fluorescent Direct/Indirect

Avante 2' x 4' T8

ORDERING INFORMATION		Example: 2AV G 2 32 MDR MVOLT GEB10IS LP735 NY3					
Series	Mounting	Number of lamps	Wattage	Diffuser	Voltage		
2AV Avante	G Grid trim	2 Two 3 Three	32 32 watt	MDR Metal diffuser, round holes	MVOLT 120-277		
Ballast configuration		Ballast	Options		Lamp Installed		
(blank)	2-lamp ballasts per Lithonia Lighting standards	GEB10IS Instant start GEB10RS Rapid Start	PWS90N1836	6' prewire, 3/8" diameter, 18-gauge, 3-wire	LP735	70+ CRI, 3500k	
1/3	One 3-lamp ballast		EL	Emergency Battery Pack (nominal 300 lumens)	LP741	70+ CRI, 4100k	
			EL14	Emergency Battery Pack (nominal 1400 lumens)	LP835	80+ CRI, 3500k	
			NY3	I.B.E.W. Local 3 union made ¹	LP841	80+ CRI, 4100k	

Notes
 1 Required on all New York City Quick Ship Products.

Avante 2' x 4' T5/T5HO

ORDERING INFORMATION		Example: 2AV G 2 28T5 MDR MVOLT GEB10PS LP835 NY3					
Series	Mounting	Number of lamps	Wattage	Diffuser	Voltage		
2AV Avante	G Grid trim	2 Two 3 Three	28T5 28 watt T5 54T5HO 24 watt T5HO	MDR Metal diffuser, round holes	MVOLT 120-277		
Ballast configuration		Ballast	Options		Lamp Installed		
(blank)	2-lamp ballasts per Lithonia Lighting standards	GEB10PS Program start	PWS90N1836	6' prewire, 3/8" diameter, 18-gauge, 3-wire	LP835	80+ CRI, 3500k	
1/3	One 3-lamp ballast		EL	Emergency Battery Pack (nominal 300 lumens)	LP841	80+ CRI, 4100k	
			EL14	Emergency Battery Pack (nominal 1400 lumens)			
			NY3	I.B.E.W. Local 3 union made ²			

Notes
 1 Not available with 3-lamp 28T5.
 2 Required on all New York City Quick Ship Products.

New York City Quick Ship Products

*The following products are manufactured with a standard 5 day shipment lead time from order entry.
Bolded options are available in 2 days. These products are in addition to your local stock.

Fluorescent Direct/Indirect

Avante 2' x 2' T8

ORDERING INFORMATION		Example: 2AV G 2 17 MDR MVOLT GEB10IS LP735 NY3				
Series	Mounting	Number of lamps	Wattage	Diffuser	Voltage	
2AV Avante	G Grid trim	2 Two	17 17 watt	MDR Metal diffuser, round holes	MVOLT 120-277	
Ballast configuration		Ballast	Options	Lamp Installed		
(blank) 2-lamp ballasts per Lithonia Lighting standards		GEB10IS Instant start GEB10RS Rapid Start	PWS1836 6' prewire, 3/8" diameter, 18-gauge, 1 circuit EL Emergency Battery Pack NY3 I.B.E.W. Local 3 union made ¹	LP735 70+ CRI, 3500k LP741 70+ CRI, 4100k LP835 80+ CRI, 3500k LP841 80+ CRI, 4100k		

Notes
 1 Required on all New York City Quick Ship Products.

Avante 2' x 2' T5/T5HO

ORDERING INFORMATION		Example: 2AV G 2 24T5HO MDR MVOLT GEB10PS LP841 NY3				
Series	Mounting	Number of lamps	Wattage	Diffuser	Voltage	
2AV Avante	G Grid trim	2 Two	14T5 14 Watt T5 24T5HO 24 Watt T5HO	MDR Metal diffuser, round holes	MVOLT 120-277	
Ballast		Options	Lamp Installed			
GEB10PS Programmed Start		PWS90N1836 6' prewire, 3/8" diameter, 18-gauge, 3-wire NY3 I.B.E.W. Local 3 union made ¹	LP841 80+ CRI, 4100k LP835 80+ CRI, 3500k			

Notes
 1 Required on all New York City Quick Ship Products.

Avante 2' x 2' CF40

ORDERING INFORMATION		Example: 2AV G 2 CF40 MDR MVOLT GEB10RS LP835 NY3				
Series	Mounting	Number of lamps	Wattage	Diffuser	Voltage	
2AV Avante	G Grid trim	2 Two	CF40 40 watt TT5	MDR Metal diffuser, round holes	MVOLT 120-277	
Ballast		Options	Lamp Installed			
GEB10RS Rapid Start GEB10IS Instant start		PWS90N1836 6' prewire, 3/8" diameter, 18-gauge, 3-wire EL Emergency Battery Pack NY3 I.B.E.W. Local 3 union made ¹	LP835 80+ CRI, 3500k LP841 80+ CRI, 4100k			

Notes
 1 Required on all New York City Quick Ship Products.

New York City Quick Ship Products

*The following products are manufactured with a standard 5 day shipment lead time from order entry.

Bolded options are available in 2 days. These products are in addition to your local stock.

Fluorescent Volumetric Lighting

2RT5, 2'x4'

ORDERING INFORMATION

Example: 2RT5 28T5 MVOLT GEB95 LPM835P NY3

Series	Lamp type	Voltage	Ballast	Lamp color ³	Options
2RT5 2' wide	28T5 28W T5 (46")	MVOLT²	GEB95 Ballast factor .95, set light	LPM835P 80+ CRI, 3500°K, premier	PWS90N1836 6' prewire, 3/8" diameter, 18-gauge, 3-wire ⁴
	54T5HO 54W T5HO (46") ¹		GEB115 Ballast factor 1.15, set light	LPM830P 80+ CRI, 3000°K, premier	PWS90N1846 6' prewire, 3/8" diameter, 18-gauge, 4-wire ⁵
			GEB10PS Ballast factor 1.0, set light	LPM841P 80+ CRI, 4100°K, premier	EL14 Emergency battery pack
			GEB95S Ballast factor .95, step dim.	LP835 80+ CRI, 3500°K	NY3 I.B.E.W. Local 3 union made ⁶
			GEP115S Ballast factor 1.15, step dim.	LP830 80+ CRI, 3000°K	
				LP841 80+ CRI, 4100°K	

Notes

1 For T5HO applications, use GEB10PS, GEB80 or GEB80S ballast.

2 MVOLT (120-277 volt).

3 Required. All fixtures shipped with lamps installed.

4 For use with standard ballast.

5 For use with step dimming ballast.

6 Required on all New York City Quick Ship Products.

2RT5, 2'x2'

ORDERING INFORMATION

Example: 2RT5 14T5 MVOLT GEB115 LP835 NY3

Series	Lamp type	Voltage	Ballast	Lamp color ³	Options
2RT5 2' wide	14T5 14W T5 (22")	MVOLT²	GEB115 Ballast factor 1.15, set light	LP835 80+ CRI, 3500°K	PWS90N1836 6' prewire, 3/8" diameter, 18-gauge, 3-wire
	24T5HO 24W T5 (22") ¹		GEB10PS Ballast factor 1.0, set light	LP830 80+ CRI, 3000°K	EL14 Emergency battery pack
				LP841 80+ CRI, 4100°K	NY3 I.B.E.W. Local 3 union made ⁴

Notes

1 For T5HO use GEB10PS only.

2 MVOLT (120-277 volt).

3 Required. All fixtures shipped with lamps installed.

4 Required on all New York City Quick Ship Products.

RT5, 1'x4'

ORDERING INFORMATION

Example: RT5 1 28T5 MVOLT GEB10PS LPM835P NY3

Series	Number of lamps	Lamp type	Voltage	Ballast	Lamp color ²	Options
RT5 1' wide	1 One 2 Two	28T5 28W T5 (46")	MVOLT¹	GEB95 Ballast factor .95, set light	LPM835P 80+ CRI, 3500°K, premier	PWS90N1836 6' prewire, 3/8" diameter, 18-gauge, 3-wire
				GEB10PS Ballast factor 1.0, set light	LPM830P 80+ CRI, 3000°K, premier	EL14 Emergency battery pack
				LPM841P 80+ CRI, 4100°K, premier	NY3 I.B.E.W. Local 3 union made ³	
				LP835 80+ CRI, 3500°K		
				LP830 80+ CRI, 3000°K		
				LP841 80+ CRI, 4100°K		

Notes

1 MVOLT (120-277 volt).

2 Required. All fixtures shipped with lamps installed.

3 Required on all New York City Quick Ship Products.

New York City Quick Ship Products

*The following products are manufactured with a standard 5 day shipment lead time from order entry.

Bolded options are available in 2 days. These products are in addition to your local stock.

Square-Basket Wraparound

SB Narrow Body 2', 4' or 8' lengths 2 lamps

ORDERING INFORMATION				Example: SB 2 32 MVOLT GEB10IS NY3	
Series	Lamp type	Voltage	Ballast configuration	Options	
SB 2 2 lamps, 8-1/3" wide For tandem double-length unit, add prefix T. Example: TSB ¹	17 17W T8 (24")	MVOLT²	(blank) One 2-lamp ballast 1/4 One 4-lamp ballast ³	GEB10IS	T8 electronic ballast, ≤10% THD, instant start
	32 32W T8 (48")			EL	Emergency battery pack
				EL14	Emergency battery pack
				NY3	I.B.E.W. Local 3 union made ⁴

Notes

- 1 Only available with 32W.
- 2 MVOLT (120-277 volt).
- 3 Only available with TSB.
- 4 Required on all New York City Quick Ship Products.

SB Wide Body 4' length 4 lamps

ORDERING INFORMATION				Example: SB 4 32 MVOLT 1/4 GEB10IS NY3	
Series	Lamp type	Voltage	Ballast configuration	Options	
SB 4 4 lamps, 13-3/4" wide	32 32W T8 (48")	MVOLT¹	1/4 One 4-lamp ballast	GEB10IS	T8 electronic ballast, ≤10% THD, instant start
				EL	Emergency battery pack
				EL14	Emergency battery pack
				NY3	I.B.E.W. Local 3 union made ²

Notes

- 1 MVOLT (120-277 volt).
- 2 Required on all New York City Quick Ship Products.

New York City Quick Ship Products

*The following products are manufactured with a standard 5 day shipment lead time from order entry.

Bolded options are available in 2 days. These products are in addition to your local stock.

Low-Profile Striplights

Z Strip T5

ORDERING INFORMATION			Example: Z 1 54T5HO Z5SMR46 MVOLT GEB10PS NY3			
Series	Number of lamps	Lamp type	Reflector	Distribution	Finish	Voltage >>>
Z Compact T5 For tandem double-length unit, add prefix T. Example: TZ	1	14T5 14W T5 (22")	(blank) No reflector	(blank) Solid	(blank) White	MVOLT²
	2	21T5 21W T5 (34")	Z5ASR46 46" asymmetric reflector			120
	Not included.	24T5HO 24W T5HO (22")	Z5SMR46 46" symmetric reflector			277
		28T5 28W T5 (46")				347 ¹
		39T5HO 39W T5HO (34")				
		54T5HO 54W T5HO (46")				
Ballast		Options				
GEB10PS T5 electronic ballast, ≤10% THD, programmed rapid start		EL55 Emergency battery pack (nominal 390-700 lumens) ³				
		NY3 I.B.E.W. Local 3 union made ⁴				

Notes

- 1 Only available with 28W and 54W.
- 2 MVOLT (120-277V), 50-60HZ.
- 3 Specify voltage.
- 4 Required on all New York City Quick Ship Products.

Z Strip T8

ORDERING INFORMATION			Example: Z 1 32 MVOLT GEB10IS NY3			
Series	Number of lamps	Lamp type	Reflector	Distribution	Finish	Voltage >>>
Z Low-profile strip For tandem double-length unit, add prefix T. Example: TZ	1	17 17W T8 (24")	(blank) No reflector	(blank) Solid	(blank) White	MVOLT
	2	25 25W T8 (36")				120
	Not included.	32 32W T8 (48")				277
						347
Ballast		Options				
GEB10IS T8 electronic ballast, ≤ 10% THD, instant start		EL55 Emergency battery pack (nominal 390-700 lumens) ¹				
GEB10RS T8 electronic ballast, ≤ 10% THD, programmed rapid start		EL65 Emergency battery pack (nominal 725-1325 lumens)				
BLP T8 high-performance ballast, low ballast factor (.78), instant start		PLF_ Plug-in wiring; specify 1, 2 or 3 branch circuits and hot wires (A = black, B = red, C = blue, AB or AC)				
		NY3 I.B.E.W. Local 3 union made ²				

Notes

- 1 Specify voltage (available 120/277V).
- 2 Required on all New York City Quick Ship Products.

New York City Quick Ship Products

*The following products are manufactured with a standard 5 day shipment lead time from order entry. **Bolded** options are available in 2 days. These products are in addition to your local stock.

General-Purpose Industrials

EJS

ORDERING INFORMATION

Example: EJS 2 32 MVOLT GEB10IS NY3

Series	Number of lamps	Lamp type	Voltage	Ballast configuration	Ballast	Options
EJS Solid top	2	32 32W T8 (48")	MVOLT	(blank) One 2-lamp ballast	GEB10IS T8 electronic ballast, ≤10% THD instant start	EL Emergency battery pack
EJSA Uplight	Not included.			1/4 One 4-lamp ballast ¹		NY3 I.B.E.W. Local 3 union made ²

For tandem double-length unit, add prefix T. Example: TEJS

Notes

- 1 Only available with TEJS and TEJSA.
- 2 Required on all New York City Quick Ship Products.

New York City Quick Ship Products

*The following products are manufactured with a standard 5 day shipment lead time from order entry.
Bolded options are available in 2 days. These products are in addition to your local stock.

Industrial Fluorescent High Bay

IBEAM 54W

ORDERING INFORMATION			Example: IBZ 654L NY3			
Series	Lamp type	Shielding ²	Distribution	Voltage	Ballast configuration	
IBZ I-BEAM <i>For tandem doublelength unit, add prefix "T". Ex: TIBZ</i>	Lamps installed¹	Unlamped	(blank) No shielding	(blank) Narrow distribution	(blank) MVOLT; 120-277V	
	454L 4-lamp, 54W, T5HO	454 4-lamp, 54W, T5HO	ACL Clear acrylic, 0.125" ³	WD Wide distribution	(blank) Standard configuration	
	654L 6-lamp, 54W, T5HO	654 6-lamp, 54W, T5HO				
	854L 8-lamp, 54W, T5HO	854 8-lamp, 54W, T5HO				
Ballast	Lamp color¹	Options				
(blank) T5 electronic 1.0 BF, programmed rapid start	(blank) F54T5HO/841 ⁵ P850E49 F54T5HO/850 ⁵	OCS RELOC® OnePass® 5' installed	MSE360 360° motion sensor embedded			
		IMP Integrated modular plug	CS1W Straight plug, 120V			
		WGX External wireguard installed	CS11W Twist-lock, 277V			
		MSI Occupancy sensor pre-wired ⁷	CS93W 600V 50 white cord, no plug (no voltage required)			
		MSI360 360° motion sensor pre-wired ⁷	NY3 I.B.E.W. Local 3 union made ⁸			

- Notes**
- Lamps installed are F54T5HO/841/EA/ALTO (49W) unless otherwise specified.
 - 5/55°F warranty with open fixtures only.
 - For wireguard in door frame, add "WG" to shielding. Ex: A12125WG.
 - Not available with Cool Running Plus ballast.
 - 49W lamps.
 - Not for use with motion sensors.
 - Specify voltage.
 - Required on all New York City Quick Ship Products.

IBEAM 32W

ORDERING INFORMATION			Example: IBZ 632L NY3			
Series	Lamp type	Shielding	Distribution	Voltage	Ballast configuration	
IBZ I-BEAM <i>For tandem doublelength unit, add prefix "T". Ex: TIBZ</i>	Lamps installed¹	Unlamped	(blank) No shielding	(blank) Narrow distribution	(blank) MVOLT; 120-277V	
	432L 4-lamp, 32W, T8	432 4-lamp, 32W, T8	ACL Clear acrylic, 0.125" ³	WD Wide distribution	(blank) Standard configuration	
	632L 6-lamp, 32W, T8	632 6-lamp, 32W, T8				
	832L 8-lamp, 32W, T8	832 8-lamp, 32W, T8				
Ballast	Lamp color	Options				
(blank) T8 electronic, <10% THD, instant start, high ballast factor	(blank) F32T8/841 LP850 F32T8/850 LPS850 F32T8/850	OCS RELOC® OnePass® 5' installed	MSE360 360° motion sensor embedded ^{2,4}			
GEB10PSH T8 electronic, <10% THD, programmed rapid start, high ballast factor		IMP Integrated modular plug ³	CS1W Straight plug, 120V			
		WGX External wireguard installed	CS11W Twist-lock, 277V			
		MSI Occupancy sensor pre-wired ²	CS93W 600V 50 white cord, no plug (no voltage required)			
		MSI360 360° motion sensor pre-wired ²	NY3 I.B.E.W. Local 3 union made ⁵			

- Notes**
- Lamps installed are F32T8/841.
 - Specify voltage.
 - Must be factory-installed.
 - Recommended for heights of 30-45'. Not available with 208V or 480V.
 - Required on all New York City Quick Ship Products.

New York City Quick Ship Products

*The following products are manufactured with a standard 5 day shipment lead time from order entry.
Bolded options are available in 2 days. These products are in addition to your local stock.

Damp & Wet Location Industrials

DMW

ORDERING INFORMATION

Example: DMW 2 32 MVOLT GEB10IS NY3

Series	Number of lamps ¹	Lamp type	Lens	Voltage	Ballast configuration >>>
DMW Wet location For tandem double-length unit, add prefix T. Example: TDMW	1	28T5 28W T5 (46") ²	(blank) High-impact acrylic, 50% DR	MVOLT	(blank) Standard configuration
	2	32 32W T8 (48")	ARDP Deep high-impact acrylic, 50% DR ⁴	120	
	3 ¹	54 54W T5HO (48") ³		277	
	Not included.			347	
Ballast		Options			
GEB10IS	T8 electronic ballast, ≤10% THD, instant start ¹	ELDW	Emergency battery pack		
GEB10RS	T8 electronic ballast, ≤10% THD, programmed rapid start ²	NY3	I.B.E.W. Local 3 union made ⁵		
GEB10PS	T5 and T8HO electronic ballast, ≤10% THD, programmed rapid start				
GEB10PS90	T5HO 90° electronic ballast, ≤10% THD, programmed rapid start				

Notes

- 1 32W T8 lamps only.
- 2 Must specify GEB10PS ballast.
- 3 Must specify GEB10PS90 ballast.
- 4 Deep lens is standard on 8' fixtures
5. Required on all New York City Quick Ship Products.